# 





## DARHAM ROUND S9317 - 1.5W

LED 1.5 watt recessed round profile wall luminaire



0

## Application

Ideal for any residential stairs, walkways or commercial interior space

## **Design Specifications**

- Durable die-cast aluminium body profile
- White powder coat finish or anodized silver
- High efficiency SMD optics, CCT 3000K
- Opal acrylic diffuser with glass cover
- 12V AC or DC driver required, suitable drivers PLUTO EGL12V/6W PLUTO 15DV, 40DV, 60DV

#### Performance

• Dimmable - NO




## **Technical Specification**

Product	Model No.	Input Voltage (V/AC)	Input Voltage (V/DC)	Power (W)	Lumens (lm)	ССТ (К)
	S9317 WH	12	12	1.5	110	3000
	S9317 ALU	12	12	1.5	110	3000

CRI	Dimmable	Diameter (mm)	Dim (mm)	Body Colour
80	NO	90	53(H)	White
80	NO	90	53(H)	Anodized Silver

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".








#### Dimensions

S9317



 $\Phi\,62$ mm

## **Photometric Data**

Unit: cd C0/C180\_\_\_\_\_ C90/C270\_\_\_

\$9317 at 3000K








Image courtesy of QCE, photography Indie Lane Tourquay



Before selecting a luminaire, look for the marks of Compliance and Safety. Starting with the RCM mark, this signals that the product has been tested to all relevant Australian Safety standards, to ensure the product delivers its designed safety performance.